

PROTEXO[®]
● ● ● Ergonomics

Ergonomic Matting & Critical
Environment Matting

ADVANTAGES OF ERGONOMIC MATTING

CONCENTRATION

Ergomat Ergonomic matting **COMBATS PHYSICAL FATIGUE**. Physical fatigue in workers can result in frequent mistakes and facility accidents reducing productivity and profits.

LOWER BACK


Ergomat Ergonomic matting aids in the stimulation of muscles in the lower back and legs helping to **MAINTAIN CIRCULATION & REDUCE FATIGUE IN THE LOWER BACK.**

LEGS

Ergomat Ergonomic matting is made from **HIGH DENSITY VIRGIN POLYURETHANE**, creating a long lasting mat with a rapid return from compression allowing continuous muscle firing and **IMPROVED CIRCULATION IN THE LEGS OF STANDING WORKERS.**


FEET

Ergomat Ergonomic matting incorporates a firm but varied surface profile and a rapid return from compression shock, **REDUCES VENOUS POOLING AND FATIGUE IN LOWER EXTREMITIES.**




The Ergonomic Matting Product That is

Ergomat Ergonomic Matting is molded with bevels on every edge from lightweight 100% virgin polyurethane for extreme memory and bounce back, making Ergomat matting the longest lasting ergonomic mat in the industry.




Ergomat provides multiple matting profiles and surface textures to



Ergomat Bubble Profiles

Designed to stimulate circulation in feet, legs and lower back. Circulation is stimulated by the unique, patented surface profile of Ergomat bubble profile mats.

Available in Infinity, Classic, Complete, & Basic Mats



Ergomat Smooth Profiles

A flat surface ergonomic mat engineered to accommodate pivoting workers and facilitate cart & trolley accessibility.

Available in Infinity, Classic Deluxe, Complete & Basic Mats.

Trusted by Manufacturers Across the Globe.




accommodate a wide variety of personnel tasks & environmental conditions.



Ergomat Bubble Down Profiles

Designed to increase ergonomic comfort while reducing tripping hazards and accommodating extreme pivoting. This is the ultimate ergonomic mat for dry environments & where there is an extreme amount of pivoting.




Ergomat Perforated Mats (Smooth or Bubble)

Ergonomic mat that has been perforated to allow for liquid or air circulation. Great for grated floors.

Full Customization for Specific

Ergomat designs and manufactures matting for specific department




Ergomat specializes in designing and manufacturing ergonomic matting solutions tailored to meet the unique layout and requirements of specific workplace environments. Our products are engineered to seamlessly fit around any department setup, accommodating machines, work tables, or other potential obstacles. This ensures maximum functionality, comfort, and efficiency, creating a safer and more productive workspace. By customizing our matting to suit particular needs, Ergomat provides solutions that enhance both employee well-being and workplace organization.

Ergomat matting specialists work hand-in-hand with engineers, facility managers, safety managers, and purchasers, offering a comprehensive approach to project management. By understanding the unique needs of each stakeholder, they ensure that every detail is thoroughly addressed—from initial consultation to final implementation. Their commitment to precision and efficiency guarantees that projects are not only completed on schedule but also stay within budget constraints, delivering exceptional results that align with customer expectations and operational goals.

Site & Department Requirements

layouts to accommodate any machine, work table or any other obstruction.



Ergomat Infinity Ergonomic Matting

The Infinity mat blends superior ergonomics with the durability of a polyurethane bubble mat, offering easy clean ability and excellent resistance to incidental chemical and liquid spills thanks to its closed-cell, non-porous surface. Six year warranty. Ergomat stands 100% behind our products with full replacement coverage if our product fails to perform as promoted within that period. At Ergomat we call this a *True Warranty*.





6
YEAR
WARRANTY



ERGONOMIC



CHEMICAL
RESISTANCE



PERFORATED
AVAILABLE



ISO CLEANROOM
CERTIFIED



ESD

Designed to stimulate circulation in feet, legs, and lower back. Circulation is stimulated by the unique, patented surface profile of Ergomat mats, which forces muscular response.

Broad resistance to incidental chemical and liquid spills due to its closed-cell, non-porous surface.

Ergonomic mat that has been perforated to allow for liquid or air circulation. Great for grated floors.

ISO Clean room Class 5 (Class 100) rated


Available with ESD properties.

Available Infinity Profiles: All Infinity matting profiles are available with ESD properties and yellow bevels




0.57"
(1.45cm)

Bubble



0.43"
(1.1cm)

Smooth




0.62"
(1.5cm)

Deluxe

Available Infinity Colors


Smooth & Bubble:




Smooth & Deluxe ESD:




Bubble ESD:








Available Bevels: Infinity matting profiles are molded with black bevels. Yellow bevels are also available.




Bubble

1.5" (39 mm)



Smooth

1.5" (39 mm)



Deluxe

2.25" (57 mm)

Ergomat Basic Ergonomic Matting

Basic Bubble is a light-duty ergonomic mat that will perform well in non-demanding applications like retail counters, pick lines, mail rooms and other typical office functions. Use in manufacturing, assembly or other inappropriate and unsupported industrial uses is not recommended and will void warranty protection.



Designed to stimulate circulation in feet, legs, and lower back. Circulation is stimulated by the unique, patented surface profile of Ergomat mats, which forces muscular response.

SILICON FREE: All Ergomat mats are silicon and latex free.


Performs well in non-demanding applications like retail counters and other typical office functions.

Manufactured with a black bevel. Yellow bevel can be substituted.

Available Basic Profiles: All Basic matting profiles are available with ESD properties and yellow bevels



Available Bevels: Basic matting profiles are molded with black bevels. Yellow bevels are also available.



Custom Size & Shapes: Basic matting can be customized to fit into any area and around any obstructions.



Cut to fit around obstruction

Ergomat Classic Ergonomic Matting

The Classic Mat is the original ergonomic bubble profile mat. The Classic Mat boasts the longest warranty in the industry. Customers still have many of these original mats in service over 20 years later.

Available in 2 profiles: Classic and Classic Deluxe Smooth.



The original ergonomic bubble profile mat. Designed to stimulate circulation in feet, legs, and lower back. Circulation is stimulated by the unique, patented bubble profile of Ergomat mats, which forces muscular response.



ISO Clean room Class 5 (Class 100) rated



Ideal for environments requiring static control.



Ergonomic mat that has been perforated to allow for liquid or air circulation. Great for grated floors.




SILICON FREE: All Ergomat mats are silicon and latex free.

Available Classic Profiles: All Classic matting profiles are available with yellow bevels.





Available Bevels: Classic matting profiles are molded with black bevels. Yellow bevels are also available.



Custom Size & Shapes: Classic matting can be customized to fit into any area and around any obstructions.




Mat designed to fit around machine




Ergomat Complete Ergonomic Matting

The Complete mat is a versatile polyurethane ergonomic mat that tolerates mild exposure to oils and other liquids. In addition to providing ergonomic relief, it is also self-extinguishing when introduced to open flame, which qualifies the Complete as fire-retardant according to standard EN 13501-1.

Available in 4 profiles: Complete Bubble, Complete Smooth, Complete ESD Smooth/Bubble.



Available Complete Profiles: All Complete matting profiles are available with yellow bevels.



Both profiles are available in ESD

Available Bevels: Complete matting profiles are molded with black bevels. Yellow bevels are also avail-




Custom Size & Shapes: Complete matting can be customized to fit into any area and around any obstruc-



Ergomat Bubble Down Ergonomic Matting

The ultimate mat for dry environments or where there is an extreme amount of pivoting. An anti-static mat for dry and non-abrasive areas and where static electricity is present. Perfect for assembly and picking lines.

Available in 2 profiles: Bubble Down & Bubble Down XL



Designed to stimulate circulation in feet, legs, and lower back. Circulation is stimulated by the unique, patented profile of Ergomat mats, which forces muscular response.



Smooth top surface makes Bubble Down mats the ultimate mat for when there is frequent pivoting.



Ideal for environments requiring static control.



SILICON FREE: All Ergomat mats are silicon and latex free.

Available Bubble Down Profiles: Bubble Down mat profiles come standard with yellow bevel



Custom Size & Shapes: Bubble Down matting can be customized to fit into any area and around any obstructions.



Ergomat Fusion Ergonomic Matting

Ergomat Fusion Mats match the benefits of our industry leading ergonomic matting with resilient flooring to deliver the best of both worlds. The Fusion mat is a versatile, high-cycle polyurethane anti-fatigue flooring solution designed to support your associates' ergonomic needs. Deliver exceptional value in work environments where pivoting workers, cart or trolley accessibility must be accommodated. When used according to published specifications, Ergomat Fusion Mats will never curl, warp, or tear.

Available in 1 profiles: Fusion



Designed for areas that require cart and trolley access. Low profile which combined with our unique fixation method, eliminates any waving due to cart traffic, and reduces friction between casters & the mat for easy movement.

Smooth top surface makes Bubble Down mats the ultimate mat for when there is frequent pivoting.

The Ergomat Fusion mat will always come with bevel, which will never curl up, and eliminates tripping hazards.

Designed to reduce discomfort & fatigue caused by standing for long periods by providing cushioning & support. These mats improve circulation, reduce strain on muscles & joints, & enhance workplace safety and comfort.

Cart Load

Recommended Cart Load – up to 136 Kilos / 300lbs

Max Cart Load – 227 Kilos / 500 lbs

Caster Size: 102mm x 26mm / 4" x 1"

Available Fusion Profiles: _____ Fusion mat profiles come standard with black bevel. Yellow bevel not available.



Custom Size & Shapes: Fusion matting can be customized to fit into any area and around any obstructions.



Ergonomic Matting Usage Guide

Highly recommended ●

Recommended ●

Variable (contact us) ●

Not recommended ○

	CLASSIC & DELUXE	COMPLETE BUBBLE, SMOOTH & DELUXE	COMPLETE BUBBLE, SMOOTH ESD	INFINITY BUBBLE, BUBBLE ESD, SMOOTH, SMOOTH ESD DELUXE, DELUXE ESD	BUBBLE DOWN	BASIC BUBBLE, SMOOTH, BUBBLE DOWN
<i>Dry usage area</i>	●	●	●	●	●	●
<i>Wet usage area</i>	○	●	●	●	○	○
<i>Static control</i>	●	●	●	●	○	○
<i>Fire retardant</i>	○	●	●	○	○	○
<i>Slip prevention</i>	●	●	●	●	●	●
<i>Outdoor</i>	○	●	●	●	○	○
<i>Mineral oils</i>	●	●	●	●	○	○
<i>Vegetable oils</i>	●	●	●	●	○	○
<i>Cooling/cutting fluids</i>	●	●	●	●	○	○
<i>Cutting oils/fluids includes esters and amines</i>	○	○	○	●	○	○
<i>Alkaline liquids pH: 7-9,5</i>	●	●	●	●	○	○
<i>Alkaline liquids pH: 9,5-14</i>	○	●	●	●	○	○
<i>Acids pH: 2-7</i>	●	●	●	●	○	○
<i>Acids pH: 0-2</i>	○	●	●	●	○	○
<i>Disinfectants</i>	○	●	●	●	○	○
<i>Solvents (aromatic/aliphatic)</i>	●	●	●	●	○	○
<i>Alcohol</i>	●	●	●	●	○	○

Ergonomic Matting vs Critical Environment Matting



VS




What is the difference between Ergonomic (polyurethane) & Critical Environment (rubber) mats?

Ergomat Ergonomic matting with distinct surface profiles provide the necessary, appropriate stimulation to be considered an ergonomic mat. From a user comfort standpoint, preferred profiles are a matter of personal choice. In general our polyurethane mats provide appropriate solutions for dry, non-abrasive to slightly damp or oily environments. Polyurethane mats also have anti-static properties.

Critical Environment (rubber) mats have greater heat resistance, anti-abrasion and anti-slip properties for more demanding industrial conditions. In addition, because they are closed-cell, Ergomat rubber mats will not harbor bacteria, making them ideal for critical environments like medical and food processing facilities. Rubber mats are more resistant to a broader range of PH conditions. The Ergomat Nitril also comes in an ESD version for static sensitive manufacturing environments. For the most appropriate mat for your specific working environment or industry, please see matting usage guides (pg.14 & pg. 23).

Ergonomic Mat (polyurethane) Infinity Smooth




Critical Environment Mat (rubber) Industry




Critical Environment matting for the most

Ergomat Ergonomic Matting is molded with bevels on every edge from lightweight 100% virgin polyurethane for extreme memory and bounce back, making Ergomat matting the longest lasting ergonomic mat in the industry.




Ergomat's versatile critical environment matting is designed for use in clean rooms, metalworking bacteria, making them ideal for critical environments like medical and food processing facilities.



Ergomat Nitril/Nitro

Nitril & Nitro are non-porous rubber ergonomic mats that **will not curl, swell or otherwise deteriorate when exposed to oils**. Their positive gripping profile provides traction for **safety against slip and fall hazards**.



Ergomat Nitril ESD

Nitril ESD/Conductive is a perfect ergonomic mat **for critical environments requiring a high degree of static control** to protect sensitive products or equipment. **Available in Nitril and Nitril Smooth.**



Ergomat Softline

Designed for areas w acids, petrochemical requirement, making **mat for welding and**


sensitive & demanding work environments.



g facilities, healthcare settings, and food manufacturing industries & mats will not harbor
Critical environment mats are more resistant to a broader range of PH conditions.




where resistance to oil,
s & heat are an important
g it an **ideal ergonomic
d metalwork.**



Ergomat Hygiene Food & Medical

Has a broad chemical and pH resistance
profile making it **perfect for use in areas
requiring frequent and/or caustic
sanitation like medical and food
processing applications.**



Industry

Industry is a **heavy duty drainage mat** for
use in extremely wet or oily environments,
or other working conditions that require sig-
nificant material pass through like sandblast-
ing. Large areas can be fused together or
linked with mechanical fasteners to facilitate
moving or reconfiguring.

Ergomat Hygiene Food & Medical Mat

Hygiene Food and Medical Mat has a broad chemical and pH resistance profile making it perfect for use in areas requiring frequent and/or caustic sanitation like medical and food processing applications.

Available in 4 colors: ideal for color coding zones to eliminate cross-contamination hazards.



Hygiene mats are ISO Clean room Class 5 rated.

Reduce static electricity to protect against damage to electrostatic-sensitive devices. Electrical Resistance: $>1 \times 10^{10} \Omega$

Autoclavable in 2'x3' (60cmx90cm) size only and with the mat's standard bevels (excluding the added yellow bevels).

Provides exceptional traction in wet or oily environments.

Resistant to chemicals & many acids. Easy to clean has made this mat a favorite amongst medical professionals as well as in the food industry.

Available Hygiene Profiles & Bevel: 1 Profile, available w/ yellow bevel.





Hygiene




Hygiene w / Yellow Bevel

Available Hygiene Colors:

Hygiene:




Food & beverage



Healthcare & labs



Perforated for air & liquid flow



Softline Welding & Machining Work Mat

The toughest mat for the toughest jobs: Spark, Heat, Oil & Acid resistant. The Softline is designed for areas where resistance to oil, acids, petrochemicals & heat are an important requirement, making it an ideal ergonomic mat for welding and metalwork. In situations with excessive fluid volume, or the need to promote air flow, Softline can be die-cut to accommodate these requirements. Softline is available in three colors to facilitate protection against cross contamination hazards. Brief exposures up to 600°C (1112°F). Most recommended Weld Mat in the industry.



Resistant to hot metal shavings with brief exposures up to 600°C (1112°F).



Non-porous rubber mats that will not curl, swell, or otherwise deteriorate when exposed to oils.



Resistant to chemicals & many acids. Easy to clean has made this mat a favorite amongst medical professionals as well as in the food industry.



Reduce static electricity to protect against damage to electrostatic-sensitive devices. Electrical Resistance: >1x10¹⁰ Ω



Softline mats are ISO Clean room Class 5 rated.

Available Softline Profiles & Bevel: 1 Profile, available w/ yellow bevel.



Softline



Softline w / Yellow Bevel

Available Softline Colors:

Softline



Welding



Heavy Industry Machining



Perforated for air & liquid flow



Ergomat Nitril & Nitril ESD

Nitril and Nitril Smooth are general application, non-porous rubber mats that will not curl, swell, or otherwise deteriorate when exposed to oils. The Nitril Mat provides exceptional traction in wet or oily environments and the flat surface profile of the Nitril Smooth makes it especially accessible to cart and trolley traffic.

Available in: ESD/Conductive versions & in 2 profiles: Nitril and Nitril Smooth.



Nitril mats are ISO Clean room Class 3-9 rated.



Reduce static electricity to protect against damage to electrostatic-sensitive devices (ESD).



Conductive option is engineered w/ enhanced static control. Electrical resistance : $5 \times 10^4 \Omega - 1.5 \times 10^5$



Provides exceptional traction in wet or oily environments.



Non-porous rubber mats that will not curl, swell, or otherwise deteriorate when exposed to oils.

Available Nitril Profiles: Available w/ yellow bevel. ESD Versions available in both Smooth & Ergo profiles.




Nitril Smooth



Nitril Ergo

Available Bevels: Nitril matting profiles are molded with black bevels. Yellow bevels are also available.



Smooth

1"
(25.4mm)



Ergo

1"
(25.4mm)



Oily condition (automotive)



Wet condition (food & bev.)



ESD condition (electronics)

Ergomat Nitro

Nitro is the perfect ergonomic mat for exceptionally oily or wet environments. Its positive gripping profile provides exceptional traction for increased safety against slip and fall hazards. The Nitro is also resistant to many acids, as well as hot metal shavings with brief exposures up to 600°C (1112°F). Only available in 1 profile.




Provides exceptional traction in wet or oily environments.

Non-porous rubber mats that will not curl, swell, or otherwise deteriorate when exposed to oils.

Resistant to hot metal shavings with brief exposures up to 600°C (1112°F).

Resistant to chemicals & many acids.

Available Nitro Profile & Yellow Bevels: Comes in 1 profile. Available w/ yellow bevel.




Oily condition (heavy industry)



Welding & Hot Shavings (Metal Work)



Chemical & Oily (Automotive)



Ergomat Industry Mat

Industry is a heavy duty drainage mat for use in extremely wet or oily environments, or other working conditions that require significant material pass through like sandblasting. Large areas can be fused together or linked with mechanical fasteners to facilitate moving or reconfiguring.



Resistant to chemicals & many acids. Easy to clean has made this mat a favorite amongst medical professionals as well as in the food industry.



Heavy duty drainage mat for use in extremely wet or oily environments, or other working conditions that require significant material pass through like sandblasting.





Molded with black bevel. 2" yellow bevel is available.



Linking clips can be added for linking mats together for larger areas and unlinking mats for easy cleaning.



Available Industry Profile & Bevel: 1 Profile, available w/ yellow bevel.



Food Processing



Food & Beverage Service



Metal Work & Finishing



Critical Matting Usage Guide

Highly recommended 

Recommended 

Variable (contact us) 

Not recommended 

SOFTLINE

NITRO

NITRIL & NITRIL SMOOTH

































































































































































NITRIL ESD-CONDUCTIVE &
SMOOTH ESD

INDUSTRY

HYGIENE

SUPER SAFE SMOOTH &
ERGO ANTI-MICROBIAL

INDUSTRY BASIC

Dry usage area								
Wet usage area								
Static control								
Fire retardant								
Slip prevention								
Welding area/Embers								
Customized mats/Drawings								
Outdoor								
Mineral oils								
Vegetable oils								
Cooling/cutting fluids								
Cutting oils/fluids include esters and amines								
Alkaline liquids pH: 7-9,5								
Alkaline liquids pH: 9,5-14								
Acids pH: 2-7								
Acids pH: 0-2								
Disinfectants								
Chloride solutions in water								
Solvents (aromatic/aliphatic)								
Alcohol								

Specialty Ergonomic Matting

Sustainable/Recycled Matting

Transform Your Workplace with Sustainability and Safety! Ergomat leads the way in sustainable safety solutions with our pioneering Closed-Loop Sustainable Matting Program. This unique initiative focuses on recycling and up-cycling to create a greener, more sustainable product without compromising on quality, safety, and savings.



Created by the regeneration of manufacturing scrap & end-of-life products.



Keeps waste and end of life products out of landfills.



All while minimizing recycling energy and reducing harmful recycling by-products.

15mm Sustainable Mat V. 100 Light Industry/Retail

15mm Sustainable Mat cross section


Mat Composition (100% Recycled Materials)



15mm Sustainable Mat V. 50 Industrial

15mm Sustainable Mat cross section


Mat Composition (50% Up-cycled Materials / 50% Virgin Mat)



25.4mm Sustainable Mat V. 65 Heavy Duty


25.4mm Sustainable Mat cross section

Mat Composition (65% Up-cycled Materials / 35% Virgin Mat)



Sustainable/Recycled Kneeling Mats

Made from the grind of our virgin polyurethane mats. Light weight, easy to carry with handle.



Chair Mats / Retail Mats

With the emerging popularity of adjustable height desks in the workplace and at home, there is a growing need for a matting solution that functions as a chair mat and provides relief and comfort while standing at the desk. Maintains a comfortable exchange of working position between standing and sitting.



Specialty Ergonomic Matting

Infinity LogoMats

ERGOMAT® Logo Mats combine premier ergonomic comfort and the recognized physical benefits of ERGOMAT workplace matting with a vivid, lasting graphic presentation. Logomats can promote brand and/or communicate safety or department messaging. Graphics and messaging are fully customizable.



LED Inspection Matting



Shed more light on floor level and overhead assembly, repair and Quality Assurance tasks with this innovative LED flooring solution from ERGOMAT



- Designed to illuminate work area with direct LED lighting and reflected light from silver flooring surface.
- Diffusing lenses balance lighting pattern for underbody assembly, quality assurance in paint & other departments.
- Exceptionally energy efficient – 5 feet of lighting strip draws just 1 amp @ 12 V

LED Kneeling Mats

Bring detailed task lighting directly to work level with Ergomat's LED Kneeling Mat.



This 18" x 24" (45cm x 60cm) pad conveniently improves lighting for any floor level or overhead assembly, maintenance or repair task while also providing a comfortable surface for kneeling or standing while working.

Perforated Mats for Liquid & Air Flow

Most Ergomat mats can be die cut to add holes for material flow. Great for liquids, small particles, & air flow.



Specialty Ergonomic Matting

Pitch Mark Smart Matting

Streamline your lean manufacturing process with Pitch Mark Smart Matting. This innovative solution creates clear visual pitch marks to enhance task and workflow efficiency. Ideal for signaling the start or end of in-line production tasks, Pitch Mark Matting helps maintain consistent production pitch on your manufacturing line while also providing exceptional ergonomic comfort for workers.



- Utilize all colors from our Infinity matting line to create comprehensive work zones & pitch markings all in one ergonomic matting product.
- High-visibility pitch marks make it easy for production employees to clearly identify the area in which a task is to be completed and its duration.

Super-Safe Mats

Super Safe Ergo clings to flooring with a series of aggressive regularly spaced suction cups on the base to provide extreme security in wet, slippery environments. It is also infused with an anti-microbial additive to inhibit bacterial growth, making it an exceptional ergonomic mat for critical environments like hospital operating rooms and food processing facilities.



Sticky Mats

Sticky Mats are used to clean the soles of shoes to reduce traffic borne contaminants before entering critical areas with controlled sanitation. Sold as pack of 300 sheets in color blue or white.



Advantages of working with Ergomat.

Ergomat vs. Competition

No other matting company provides ergonomic matting engineered to meet the needs of specific work environments, industries, & department specific layouts. Custom matting shapes and sizes that fit specific department needs.

Industry / Environment Specific

There are numerous Ergomat mats with different properties: ESD (anti-static), fire-retardant, chemical resistant, anti-slip, cold insulated, autoclavable, shock-absorbent, etc. You can match an Ergomat to your specific environment needs to get the most out of it while getting unbelievable ergonomic relief.

Great Ergonomics With Unbeatable Durability

Ergomats provide the best ergonomic relief to workers. Ergomats are proven to help better the health of workers by stimulating blood circulation, preventing cramps, reducing tiredness and preventing industrial accidents. What does this mean for the employer? It reduces employee absenteeism and sickness, reduces employee costs, increases productivity and increases earnings.

Best Warranties on the Market (up to 12-years!)

Because they are made of only the most quality materials. Ergomat wet/chemical mats are made of 100% non-porous Nitrile rubber. Ergomat dry/retail mats are made of solid core 100% Polyurethane.

Resilience to Wear & Tear

Many major car manufacturers have had Ergomat matting products down in their facilities for years without having to replace them due to our products' resilience to wear and tear, which eliminates replacement costs.

Customized Solutions

Ergomat matting is available in both standard and custom sizes to match the exact dimensions of any work cell. Single-piece mats in any size and shape prevent trip hazards.

Beveled Edges

Ergomat matting products have beveled edges on all sides to prevent trip hazards. Ergomat mats don't swell or shrink and always remain flat against the ground.

No Standing Seams

All Ergomat mats are designed and manufactured with no standing seams and can be made to fit your entire space with no trip hazards.

Competitors Matting

- Quick loss of anti-fatigue properties (Ergomat's matting is made from highly pressurized polyurethane that will not lose its bounce back memory.)
- Higher health and safety costs (Ergomat matting has been designed for a long life cycle, eliminating the need for constant replacement.)
- Jigsaw puzzle or interlocking assembly of mats creating overlapping / taped mats. Matting pieces eventually don't fit together and create tripping hazards for workers. (Ergomat matting is assembled in one piece based on your design.)








































































MATTING Euro Price List 2026

Standard Matting Sizes:




60, 90, 120, 150 & 180cm widths
X any length

		Euro Price List 2026				Highly Recommended		Recommended		Variable (contact us)		Not Recommended	
						●		●		●		○	
						Dry		Wet		ESD		Weld/ Metal	
						Oil Resistance		Chemical Resistance		Cleanroom			
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●		○		○		○	
						●							























For mats with Holes, Yellow Bevels or Customization: +15% will be added per process

	SMOOTH PROFILE DRY AREAS (POLYURETHANE)						Product Code	Standard Size	Price Per Unit	Price Per Sq m.	Warranty (Years)	Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
	Infinity Deluxe, Infinity Deluxe ESD		IND	60 x 90cm	€115,00	€220,00	6											
	Ergomat Infinity Deluxe ESD (Black, Silver, Stainless)		IND-ESD	60 x 90cm	€129,00	€246,00	6											
	Ergomat Infinity Smooth (Black, Silver, Blue, Yellow, Red, Green, Stainless, Brown)		INS	60 x 90cm	€99,00	€189,00	6											
	Ergomat Infinity Smooth ESD (Black, Silver, Blue)		INS-ESD	60 x 90cm	€112,00	€215,00	6											
	Ergomat Classic Deluxe		DST	60 x 90cm	€101,00	€190,00	8											
	Ergomat AFS Complete Smooth		SX	60 x 90cm	€85,00	€159,00	5											
	Ergomat EFS Complete Smooth ESD		EFS	60 x 90cm	€93,00	€171,00	5											
	Ergomat XL Bubble Down Mat (must add 9cm yellow bevels)		BDXL-YB	60 x 90cm	€123,00+YBV	€246,00+YBV	5											
	Ergomat Bubble-Down (must add 5cm yellow bevels)		BD-YB	60 x 88.5cm	€97,00+YBV	€186,00+YBV	4											
	Hybrid (must add 5cm yellow bevels)		HD	60 x 90cm	€99,00+YBV	€192,00+YBV	2											
	Ergomat Basic Smooth		SB	60 x 90cm	€60,00	€112,00	2											
	Ergomat Basic Bubble-Down (must add 5cm yellow bevels)		BDB-YB	60 x 90cm	€60,00+YBV	€112,00	2											
	Fusion		FM	60 x 90cm	€50,00	€98,00	2											
	Ergomat Hybrid Mat, XL Mat, Bubble Down, Complete Smooth (€179,00+YBV) Hybrid Mat																	

For mats with Holes, Yellow Bevels or Customization: +15% will be added per process

	CRITICAL ENVIRONMENT (RUBBER)					Product Code	Standard Size	Price Per Unit	Price Per Sq m.	Warranty (Years)	Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
 Nitril, Nitril ESD-Conductive, Hygiene	Ergomat Nitril (Black)	EN	60 x 90cm	€104,00	€196,00	3	●	●	○	●	●	●	●	●	●	●	●
	Ergomat Nitril ESD-Conductive	ENC	60 x 90cm	€124,00	€235,00	3	●	●	●	●	●	●	●	●	●	●	●
 Hygiene	Ergomat Hygiene (Grey, Green, Blue or Red)	EH	60 x 90cm	€114,00	€217,00	3	●	●	○	●	●	○	●	●	●	●	●
	Ergomat Nitril Smooth	ENS	60 x 90cm	€96,00	€241,00	3	●	●	○	●	●	○	●	●	●	●	●
	Ergomat Nitril Smooth ESD-Conductive	ENCs	60 x 90cm	€114,00	€288,00	3	●	●	●	●	●	○	●	●	●	●	●
 Nitril Smooth & Nitril Smooth ESD-Conductive	Ergomat Nitro	ENT	60 x 90cm	€114,00	€214,00	3	●	●	○	●	●	○	●	●	●	●	●
	Ergomat Softline (Black)	SL	60 x 90cm	€120,00	€244,00	3	●	●	○	●	●	○	●	●	●	●	●
 Nitro	Ergomat Industry	EX	90 x 120cm	€249,00	€240,00	5	●	●	○	●	●	○	●	●	●	●	●
 Softline	For mats with Holes, Yellow Bevels or Customization: +15% will be added per process																

For mats with Holes, Yellow Bevels or Customization: +15% will be added per process

Industry												
	BEVELS	Product Code	Price Per Unit	Standard Size	Warranty (Years)	Standard Matting Sizes:			Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
						Highly Recommended		Recommended				
						Dry	Wet	ESD				
	Solid Yellow Bevels (2,5cm)	YBV-01	€9,00/linear meter	4cm wide	N/A							
	Solid Yellow Bevels (5cm on Deluxe, Bubble Down, Basic Bubble Down, Industry)	YBV-02	€12,00/linear meter	5cm wide	N/A							
	Solid Yellow Bevels (9cm on XL Bubble, XL Bubble Down)	YBV-03	€33,00/linear meter	8cm wide	N/A							

A €20 service fee will be applied to all orders below €100.

Transport costs not included in product pricing.


MATTING

Euro Price List 2026



SPECIALTY MATS	Product Code	Standard Size	Price Per Unit	Price Per Sq m.	Warranty (Years)	Highly Recommended		ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
						Dry	Wet					
Ergomat Deluxe LED (Black, Stainless or Silver)		60 x 90cm	Contact us	----	N/A	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Ergomat Super-Safe Smooth (Green)	SM6090G	60 x90cm	€140,00	----	3	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Ergomat Super-Safe Ergo (Blue or Green)	SSE6090-B/G	60 x 90cm	€152,00	----	3	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>

Final Sale Products



STICKY MATS	Product Code	Standard Size	Price Per Unit	Warranty (Years)	Performance Characteristics						
					Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
Ergomat Sticky Mats (White or Blue Sheets: 10 boxes of 30 sheets/300 sheets)	SM4611S-W/BLU	46 x 114cm	€99,00	N/A	●	○	○	○	○	○	●
Ergomat Sticky Mats - Optimal Frame (Grey)	SMFRAME-G	61 x 129cm	€76,00	N/A	●	○	○	○	○	○	●
Ergomat Sticky Mats - Combo (Frame + 300 sheets of sticky mats)	SMCOMBO-WHITE/BLUE	61 x 129cm	€150,00	N/A	●	○	○	○	○	○	●

Final Sale Products



LOGO MATS	Product Code	Standard Size	Price Per Unit	Warranty (Years)	Performance Characteristics						
					Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
Bubble Logomat	LB6090	60x90cm	€152,00	6	●	○	○	○	●	●	●
Smooth Logomat	LS6090	60x90cm	€127,00	6	●	○	○	○	●	●	●
Deluxe Logomat	LD6090	60x90cm	€152,00	6	●	○	○	○	●	●	●
Hazard Logomat (Smooth Black-Yellow)	LS6090-HAZARD-B/Y	60x90cm	€127,00	6	●	○	○	○	●	●	●
Hazard Logomat (Smooth Red-Yellow)	LS6090-HAZARD-R/Y	60x90cm	€127,00	6	●	○	○	○	●	●	●
Hazard Logomat (Smooth Green-Yellow)	LS6090-HAZARD-G/Y	60x90cm	€127,00	6	●	○	○	○	●	●	●

Final Sale Products

No returns on custom product

WHEN SENDING IMAGES FOR LOGOMATS...

Please ensure the graphics sent for logomats are vectorized eps/pdf files OR a 1200x800pixel (16.5x11.5in) jpg at 300DPI. This will ensure the image is produced at the best possible quality and clarity. Please keep in mind jpg files will lose approximately 1 3/4" on each side. For more information visit <http://global.ergomat.com/en/logomats>




PORTABLE LED KNEELING MAT	Product Code	Standard Size	Unit Price	Warranty (Years)	Features						
					Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
Portable Kneeling LED Mat (Blue)	LED-INDPortable-B	45 x 60cm	€205,00	N/A	●	○	○	○	●	●	●
Portable Kneeling LED Mat (Black)	LED-INDPortable-BK	45 x 60cm	€205,00	N/A	●	○	○	○	●	●	●
Portable Kneeling LED Mat (Stainless)	LED-INDPortable-STL	45 x 60cm	€205,00	N/A	●	○	○	○	●	●	●
Portable Kneeling LED Mat (Silver)	LED-INDPortable-S	45 x 60cm	€205,00	N/A	●	○	○	○	●	●	●

Final Sale Products



ACCESSORIES	Product Code	Price Per Unit	Standard Size	Warranty (Years)
Grounding Cord & Snap (4,7M)	MISC-005	€34,00	1 pcs	
Industry Clips	INCLP	€4,00	1 pcs	

Final Sale Products



CHAIR MATS	Product Code	Standard Size	Price Per Unit	Warranty (Years)	Performance Indicators						
					Dry	Wet	ESD	Weld/ Metal	Oil Resistance	Chemical Resistance	Cleanroom
Ergomat Chair Mat	CHAIRMAT104124	104 x 124cm	€155,00	N/A	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>

This item is not customizable

Final Sale Products

Most mats are customizable. Contact us to discuss your project!

A €20 service fee will be applied to all orders below €100.

Transport costs not included in product pricing.



AAN DEZE OPZAKTREMIE GELOFT
ENDEL DE VERPAKKING VAN HET PRODUCT DAT
WORDT OPGEZAKT NAG HIER AANKOMST ZIJN.
DE OVERIGE VERPAKKINGEN MOETEN TERUG IN DE
STORAGE RUIMTE.
DE RESTANTEN VAN OPGEZAKTE PRODUCTEN NAAR
DE MAALDERIJ

BM

HAVEN
VAN
ANTWERPEN

Prospecta BV
Scheestraat 31a
B-9270 Kalken
Steven Colman
+32 (0)474 902 884
steven@protexo.be